

Receiving Report

Date:

11/4/18

Batch No:

M117470

Supplier:

MACWA

Dart P/O:


13P31

Packing Slip: Yes No
 Invoice: Yes No
 Receipt: Cash Cr

Release Note Attached: Yes No N/A
 Waybill Attached: Yes No N/A
 Shipment Complete: Yes No N/A
 QC6 Inspection S Not Inspected
 Work Order None

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 

Production/Admin:

11/4/18


Date

Received/Costing

Initial

Location 

Purchase Order Receipt Listing

Tuesday, April 19, 2011 8:14:57 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO13831 Receipt Dates from 4/19/2011 to 4/19/2011 All Line Item Types
 All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ Reject Qty	Book Amt
PO13831	6	VC-MAG002	Magna Stainless	MI74PH- H900RL.000	4/13/2011 36.0000	4/19/2011 DES102	36.0000	\$11.50	0.0000	0	\$414.00
CAD	No		17-4SS H900 ROUND BAR 1.00				\$414.00	0.0000	0		

Total Received Quantity:

Total Qty to Inspect (PO U/M):

Total Reject Quantity:

Total Receipt Value:

Total Balance Due Quantity:

36.0000

0.0000

0.0000

\$414.00

0.0000

PACKING LIST

MAGNA

Magnus LLP
5775 Kieran St., Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

卷之三

Page 1 of 1

100

SPECIAL INSTRUCTIONS

SOLD TO:
DART AEROSPACE LTD

1270 ABERDEEN ROAD
HAWKESBURY, ON K6A 1K7

Contact :	CHANTAL LAVOIE	Ship Terms:	PICKUP
Currency	Sales Person	Customer Phone	Customer Fax
CANADIAN DOLLARS	CHRISTINA ANTONIOU	(613) 632-5200	(613) 632-1053
Sales Order	Terms	Ship Via	Date Ordered
W046069	NET 30 DAYS	NIR:R-557065-1	04/11/11
			Date Required
			04/12/11
			Date Shipped
			04/12/11

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Comments
---------	--------------	------	-------------	----------	--------	----------

3 ✓

PC	STAINLESS ROUNDS SRB 17-4 ANN 1" X R/L	12.1"	96 LB / 3 PC	1.047009
MILL TEST + CDEC REQUIS AVEC LIVRAISON PER AMS 5643 MATERIAL IS ANNEALED CONDITION AS PROVIDED BY MAGNA TO BE HEAT TREATED TO H900 AT METCOR AS PER DART AEROSPACE				7LB8

81104112

Bundles: 1

Received by:

PURCHASE ORDER

Purchase Order ID PO13831

Page Number 3 of 3

PO Print Date 4/8/2011

Purchase Order Date 4/8/2011

Purchase Order Date 4/8/2011

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel.: 613 632 9577
Fax: 613 632 1053



Order From:

MAGNA STAINLESS

575 RUE KERAN

ST LAURENT, QC H4S 0A3

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

VC-MAG002

Channel Laboile

Buyer

Requisition Nbr

Tax Resale Nbr

Net 30

CAD

Currency

FOB

Destination-Collect

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

Special Inst:

NOTE: PLEASE SHIP MATERIAL TO METCOR INC.

560 BOULV. ARTHUR SAUVE

SANT-EUSTACHE, QC

J7R-5A8

450-473-1884

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643</p

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS
6870 HIGHWAY 42 EAST
GHENT, KY 41045
P 13092 - 4LB8
CD 23391

6870 HIGHWAY 42 EAST

Certificate: 616240 1. Mkt. To:

MAGNA STAINLESS
5775 KIERAN STREET

Customer: 007420 001 SAINT LAURENT, QC H4S0A3

Your Order: P013092

NAS Order: PN 0012368 01

REMARKS:

ANSI 2303E, AMS 5643R
Round Bar, Annealed, Smooth Turned, Cold Finished.

UNS S17400 EN 10204 3.1B, ASTM A484/08

ASTM A564/04 ASME SA564-07

Ship To:
MAGNA STAINLESS
5775 KIERAN STREET
SAINT LAURENT, QC H4S0A3

Date: 1/27/2011 Page: 1

Steel: 630

Finish: ST

Corrosion:

COMPLIES WITH REQUIREMENTS OF DFARS EU DIRECTIVE 2002-95.
SC. ROLS. EAF+AD+CC. NO WELD REPAIR. WELDED AND MFG IN USA
FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Product Id	Skid #	Diameter	Size	Weight	Length	Mark	Pieces	Commodity Code
IA0964 6		1.0000		800	144.00	1	1	

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Element	CM	C	CB	CO	CR	CU	MN	MO	N	NI
7Ni68	US	.0350	.1760	.0820	15.1690	3.2035	.5655	.2235	.0291	4.4335
	P	S	SI	TA	TT					
	.0260	.0061	.5055	.0055	.0020					

MECHANICAL PROPERTIES

Product Id	I	d	R	B	Ferrit	TS-C	VS-C	EL-C	RA-C	RC-C	FREQ.	SEV.
	c	i	%	%	KST	KST	%	%	No.	No.	No.	No.
IA0964 6	R	L	325.00	.80	205.37	188.01	12.00	51.96	40.50	.16	.13	

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HESS

1/27/2011